

Máy Lạnh Chillers R-22 TCW 360 ~ 500EB2D


- Hiệu quả cao làm giảm mất năng lượng.
- Độ rung và mức âm thanh thấp
- Máy nén và bộ trao đổi nhiệt hiệu quả.
- Độ tinh cậY cao và độ bền cao
- Thiết kế nhỏ gọn

[Đặt hàng](#)

Water-Cooled Chillers

R-22

TCW-360EB2D, TCW-400EB2D, TCW-500EB2D



■ Specifications

Model		TCW-360EB2D	TCW-400EB2D	TCW-500EB2D
Cooling Capacity	kW	60Hz	1,266	1,407
		50Hz	1,055	1,172
Power Consumption	kW	60Hz	296	335
		50Hz	247	279
Running Current A	3 φ 220/380/440V	60Hz	-/517/447	-/585/505
	3 φ 220/380/415V	50Hz	-/431/395	-/488/447
COP	W/W	4.28	4.20	4.19
Dimension	Height (H)	mm	2,400	2,400
	Width (W)	mm	4,500	4,500
	Depth (D)	mm	1,800	1,800
Foundation holes (L * E)	mm	2,000*1200	2,000*1200	2,000*1200
Evaporator	Type	Shell and Tube		
	Flow rate	L/min	3,600	4,000
	Lost head	M	6.0	8.0
	Pipe connections		8B	10B
Condenser	Type	Shell and Tube		
	Flow rate	L/min	3,750	5,000
	Lost head	M	6.5	6.6
	Pipe connections		6B*2	6B*2
Refrigerant control		Thermal expansion valve		
Compressor	Type	Semi-hermetic screw		
	Oil heater	W	150*2	150*2
Capacity step	%	0, 25, 50, 75, 100		
Starting method		Y-Δ		
Safety devices		High/Low pressure switch, Over current relay, Phase reversal protector, Relief valve, Thermal interior protector, Antifreeze protector, Discharge temp. protector		
Refrigerant		R-22		
Refrigerant oil		Nameplate in chiller		
Net weight	kg	5,300	5,900	6,600
Operation weight	kg	6,300	7,100	7,900

Note: 1. Cooling capacity is on: cooling water outlet 35°C, inlet 30 °C; Chilled water outlet 7°C, inlet 12 °C.
2. Specifications are subject to change with out notice for further improvement.

Thông tin liên quan



—

[Máy Lạnh Chillers R-22 TCW 160 ~ 300EB2D](#)



—

[Máy Lạnh Chillers R-22 TCW 80 ~ 150EB2D](#)



—

[Máy Lạnh Chillers R-22 TCW 150EB1D](#)



—

[Máy Lạnh Chillers R-22 TCW 40 ~ 60EBK1D](#)



-

[Máy Lạnh Chillers R-22 TCW 25 ~ 30EBK2D](#)



-

[Máy Lạnh Chillers R-22 TCW 15 ~ 20EBK2D](#)



-

[Máy Lạnh Chillers R-22 TCW 15EBK1D](#)



-

[Máy Lạnh Chillers R-22 TCW 5 ~ 10EBK1D](#)



-

[Máy Lạnh Chillers R-22 TCW 80 ~ 120EB1D](#)



-

[Máy Lạnh Chillers R-22 TCW 40 ~ 60EB1D](#)